


# pCS2+8C-FP



1

```

CGCCATTCTG CCTGGGGACG TCGGAGCAAG CTTG ATTTAG GTGACACTAT AGAATACAAG CTACTTGTTT TTTTTCAGG
                                     HindIII          SP6
ATCCACTAGT GGCGCGCCAT TAATTAAAGG CCGGCCAGCG ATCGCCGGAC ATCGATTG ATG.....Fluorescent Tag
BamHI  SpeI          Ascl          PacI          Fsel          AsiSI          ClaI
.....TAA  GAATTCAAGG CCTCTCGAGC CTCTAGAACT ATAGTGAGTC GTATTACGTA GATCCAGACA TGATAAGATA
          STOP      EcoRI          StuI          XhoI          XbaI
CATTGATGAG TTTGGACAAA CCACAACTAG AATGCAGTGA AAAAAATGCT TTATTTGTGA AATTTGTGAT GCTATTGCTT
                                     SV40 late poly (A)
TATTTGTAAC CATTATAAGC TGCAATAAAC AAGTTAACAA CAACAATTGC ATTCATTTTA TGTTTCAGGT TCAGGGGGAG
GTGTGGGAGG TTTTTTAATT CGCGGCCGCG GCGCCAAT
                                     NotI
    
```